



NT 35/1 Tact (110V)

Multi-purpose wet & dry vacuum cleaner with Tact automatic filter clean system for heavy duty dust extraction.

1 Tact system (Auto Filter Clean System)

- The filter cleans itself with powerful blasts of air. This automatic process guarantees constantly high suction power. Further benefits: low maintenance costs, long filter service life.

2 On-board practical storage

- Large on-board storage area for tool and accessory storage.

NT 35/1 Tact (110V)

- Tact - Auto Filter Clean System
- Accessory / suction hose storage
- On-board practical storage

Technical data

Order Number	1.184-854.0	
EAN code	886622000600	
Air flow	l/s	58
Vacuum	mbar / kPa	221 / 22.1
Container capacity	l	35
Max. rated input power	W	max. 1200
Standard nominal size	ID 35	
Sound level	dB(A)	65
Container material	Plastic	
Quantity of motors	1	
Frequency	Hz	50-60
Voltage	V	110-127
Weight	kg	11.5
Dimensions (L x W x H)	mm	520 × 380 × 580

Equipment

Suction hose	m	2.5	Maintenance -free suction fans	piece(s)	1
Filter bag	Fleece				
Wet and dry floor tool	mm	300			
Crevice nozzle	■				
Auto shutdown when max. level is reached	■				
Eco filter system	■				
Flat pleated filter	Paper				
Bend	■				
Filter cleaning	Tact Filter Clean				
Safety class	II				
Caster with brake	■				

■ Included in delivery.

NT 35/1 TACT (110V)

1.184-854.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter (paper)									
Flat filter only for replacement Kärcher	1	6.904-367.0	1 piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	■
Plastic bend									
Plastic bend	2	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
	3	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	4	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
	5	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□
All-purpose nozzles (wet/dry)									
Floor tool DN35	6	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	■
Floor tool DN40-370	7	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	8	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	9	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool anthracite packaged NW35	10	2.889-173.0	1 piece(s)	ID 35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Floor tool anthracite packaged NW40	11	2.889-174.0						Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dry applications.	□
DN 40 wet/dry floor nozzle	12	6.907-408.0	1 piece(s)	ID 40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	□
Crevice nozzles									
Crevice nozzle DN35	13	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
Crevice nozzle	14	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	15	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□
	16	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Crevice nozzle DN35	17	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□

■ Included in delivery. □ Available accessories.

NT 35/1 TACT (110V)

1.184-854.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction tubes metal									
Suction tube DN35	18	6.900-514.0	1 piece(s)	ID 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■
Suction tube	19	6.900-275.0	1 piece(s)	ID 40	0.55 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	□
Set suction tube chromed NW35 550mm	20	2.889-191.0	1 piece(s)	ID 35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	□
Suction hoses complete (Clip-system)									
Suction hose C DN35	21	4.440-626.0	1 piece(s)	ID 35	2.5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	■
Suction hose	22	4.440-653.0	1 piece(s)	ID 35	2.5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	□
	23	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	□
	24	2.889-161.0	1 piece(s)	ID 35	2 m				□
Fleece filter bags (3 ply)									
Fleece filter bags	25	6.907-479.0	5 piece(s)					Fleece filter bag, tear-resistant, dust class M.	■
Fleece filter bags, x 5	26	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	□
Nozzle sets									
Nozzles set DN35	27	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	□
Flat pleated filter (PES)									
Flat pleated filter (PES)	28	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	□
Coarse filter for wet pickup									
Coarse dirt filter for wet pick up	29	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	□
Membrane filter / fabric filter									
Membrane filter/fabric filter	30	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	□
HEPA filter for dust class H									
HEPA surface filter	31	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
Paper filter (2 ply)									
Paper filter bags, 300 pcs	32	6.904-224.0	300 piece(s)					BIA-C dust class M approved. Large-scale consumer pack.	□
Paper filter bags	33	6.904-259.0	5 piece(s)					5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).	□
Plastic sacks for dust-free disposal									
Plastic sacks for dust-free disposal	34	6.596-886.0	10 piece(s)					PE plastic sack.	□

■ Included in delivery. □ Available accessories.

NT 35/1 TACT (110V)

1.184-854.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Special filter bags, wet filter bags									
Special filter bag, wet filter bag	35	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>
Bend stainless									
Bend, stainless steel ID 35	36	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel ID 40	37	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
Bend metal									
Bend, DN 35, metal	38	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	<input type="checkbox"/>
Bend, DN 40, metal	39	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	40	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	41	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Combi-nozzles (dry)									
Combination floor tool (dry)	42	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
Pipe dusting nozzles									
BRUSH	43	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	44	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction brushes									
Suction brush DN35	45	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Turbo nozzle									
Upholstery nozzle TURBO	46	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Floor tool TURBO DN 35/32	47	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
Suction tubes stainless steel									
Suction tube, ID 40	48	6.902-081.0	1 piece(s)	ID 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	49	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 35	50	6.902-154.0	1 piece(s)	ID 35	0.5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	<input type="checkbox"/>
Suction tubes plastic									
Suction tube, DN 35	51	6.900-384.0	1 piece(s)	ID 35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
Repair kits									
Repair set, C 35	52	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 35/1 TACT (110V)

1.184-854.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction hoses (Clip-system)									
Suction hose	53	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	54	6.906-275.0	1 piece(s)	35	2.5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
Suction hose (clip system), C 35, el.	55	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
Suction hose	56	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
	57	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	<input type="checkbox"/>
	58	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
Suction hose (clip system), C 40, 10 m, el.	59	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	<input type="checkbox"/>
Suction hose (clip system), C 35	60	6.906-242.0	1 piece(s)	C- 35	10 m			Electrically conductive, 10 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
Suction hoses complete									
Suction hose complete, ID 35, 2,5m	61	4.440-339.0	1 piece(s)	ID 35	2,5 m			Temperature-resistant to 120 °C.	<input type="checkbox"/>
Suction hose, complete	62	4.440-446.0	1 piece(s)	ID 27	3,5 m			Electrically non-conductive suction hose (3,5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	<input type="checkbox"/>
	63	4.440-461.0	1 piece(s)	ID 27	7 m			Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	<input type="checkbox"/>
Connecting sleeves									
Adapter, DN 32/35, with internal thread	64	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
Adapter, DN 40 with internal thread	65	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	<input type="checkbox"/>
Connecting sleeve, ID 61, with female thread	66	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	<input type="checkbox"/>
Y-adapter kit									
Y-adapter kit	67	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	<input type="checkbox"/>
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C-ID 35 adapter	68	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	<input type="checkbox"/>
C 40 adapter	69	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
C-DN 40 adapter	70	5.407-111.0	1 piece(s)	ID 40				Connects C 40 hose for ID 40, electrically conductive.	<input type="checkbox"/>
Adapter for electric power tools, clip on, el.									
Adapter for electric power tools, C 35, el.	71	5.453-048.0	1 piece(s)	ID 35				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Connecting sleeve for electric tool C 35, el.	72	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Adapter for electric power tools, C 35, el.	73	5.453-050.0	1 piece(s)	ID 35				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Connecting sleeve for electric tool C 35, el.	74	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 35/1 TACT (110V)

1.184-854.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description		
Connecting sleeve for electric tools C 35, el.	75	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>	
Adapter for electric power tools, screwable										
Power tool adapter, threaded, DN 35	76	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>	
Adapter for electric power tools, screwable, ID 35	77	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	<input type="checkbox"/>	
Power tool adapter, threaded, DN 35	78	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>	
	79	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>	
Adapter (tube -> nozzle)										
Adapter ID 35 - 40 (tube -> nozzle)	80	6.902-084.0	1 piece(s)	ID 35				From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>	
Reducing sleeves										
Reducer	81	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>	
Reducer (tube -> nozzle)										
Reducer	82	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>	
Reducer from ID 35 to 32	83	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>	
Set reducing / extension sleeves										
Set reducing / extension sleeves	84	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>	
Target group specific vacuum cleaner accessory sets										
Universal kit for industrial and commercial use	85	2.637-595.0		ID 35				Accessory kit for industrial and commercial use.	<input type="checkbox"/>	
Boiler cleaning kit	86	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	<input type="checkbox"/>	
Building trade kit	87	2.637-352.0		ID 40				Building and ancillary trade accessory kit.	<input type="checkbox"/>	
Professional cleaning kit ID 40	88	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	<input type="checkbox"/>	
Horse grooming kit, ID 35	89	2.637-248.0		ID 40				Horse brush (6.903-046.0), curry comb/rubber curry comb (6.903-047.0 and 6.903-048.0), suction hose 4 m (4.440-391.0).	<input type="checkbox"/>	
NT vacuum cleaner kit, DN 40, el.	90	2.638-147.0		ID 40				Wet and dry vacuum cleaner kit, electrically conductive, DN 40.	<input type="checkbox"/>	
UBS non-conductive media										
ABS non-conductive media	91	2.641-560.0	1 piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases.	<input type="checkbox"/>	
Other										
Drilling dust tool	92	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>	
CS 40 Me	93	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>	

■ Included in delivery. □ Available accessories.

NT 35/1 TACT (110V) 1.184-854.0



		Order Number	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.