

SANISAFE 4 WIPE

Page: 1

Compilation date: 19/11/2014 Revision date: 27/03/2017 Revision No: 2

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product name: SANISAFE 4 WIPE

Use of substance / mixture: Cleaning wipe.

## 1.3. Details of the supplier of the safety data sheet

Company name: Hydro-X Manor Drive, Outgang Lane Dinnington S25 3QU Tel: +44(0)1909 666708 Email: onlinesales@hydro-x.co.uk

1.4. Emergency telephone number

# Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Aquatic Chronic 3: H412; -: EUH208

Classification under CHIP: -: R52/53

Most important adverse effects: Contains polymeric biguanide hydrochloride. May produce an allergic reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements under CLP:

Hazard statements: EUH208: Contains polymeric biguanide hydrochloride. May produce an allergic reaction.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



SANISAFE 4 WIPE

()

Precautionary statements:	P264: Wash hands thoroughly after handling.
	P273: Avoid release to the environment.
	P280: Wear eye protection.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+313: If eye irritation persists: Get medical advice/attention.
	P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

# Section 3: Composition/information on ingredients

3.2. Mixtures

**PBT:** This product is not identified as a PBT/vPvB substance.

## Hazardous ingredients:

PROPAN-2-OL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	1-10%

BENZYLKONIUM CHLORIDE

270-325-2	68424-85-1	-	Acute Tox. 4: H302+312; Aquatic Acute 1: H400; Skin Corr. 1B: H314	<1%

## POLYMERIC BIGUANIDE HYDROCHLORIDE

-	27083-27-8	-	Acute Tox. 4: H302; Carc. 2: H351;	<1%
			STOT RE 1: H372; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye	
			Dam. 1: H318; Skin Sens. 1B: H317	

# Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: As the substrate is a wipe material ingestion is highly unlikely but in the event do not



SANISAFE 4 WIPE

induce vomiting and wash mouth out with water.

Inhalation: Not applicable.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: Not applicable.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

5.1. Extinguishing media

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

# Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Do not create dust.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

**Page:** 3



SANISAFE 4 WIPE

**Reference to other sections:** Refer to section 8 of SDS. Refer to section 13 of SDS.

Page: 4

## Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storag	e, including any incompatibilities
---------------------------------	------------------------------------

#### 7.3. Specific end use(s)

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

**Specific end use(s):** PC8: Biocidal products (e.g. Disinfectants, pest control). PC35: Washing and cleaning products (including solvent based products).

## Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

## Workplace exposure limits:

#### **Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

## **DNEL/PNEC** Values

#### Hazardous ingredients:

## PROPAN-2-OL

Туре	Exposure	Value	Population	Effect
DNEL	Oral	26 mg/kg bw/day	Consumers	Systemic
DNEL	Dermal	319 mg/kg bw/day	Consumers	Systemic
DNEL	Dermal	888 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	89 mg/m³	Consumers	Systemic



SANISAFE 4 WIPE

Pag	e:	5
		<u> </u>

DNEL	Inhalation	500 mg/m³	Workers	Systemic
PNEC	Fresh water	140.9 mg/l	-	-
PNEC	Fresh water sediments	552 mg/kg	-	-
PNEC	Marine water	140.9 mg/l	-	-
PNEC	Marine sediments	552 mg/kg	-	-
PNEC	Soil (agricultural)	28 mg/kg	-	-

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Personal Protective Equipment, not required under normal use.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Personal Protective Equipment, not required under normal use.

Environmental: Refer to specific Member State legislation for requirements under Community

environmental legislation.

# Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State:	Solid		
Colour:	Various		
Odour:	Odourless		
•	No data available. Non-oxidising (by EC criteria)		
Solubility in water: Boiling point/range°C: Flammability limits %: lower:	Not applicable.	Melting point/range°C: upper:	No data available. No data available.
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	Not applicable.
VOC g/I:	No data available.		

### 9.2. Other information

## Section 10: Stability and reactivity

## 10.1. Reactivity

Other information: No data available.



SANISAFE 4 WIPE

Page: 6

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

#### 10.3. Possibility of hazardous reactions

Chemical stability: Stable under normal conditions.

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

## **11.1. Information on toxicological effects**

Hazardous ingredients:

#### PROPAN-2-OL

ORAL	MUS	LD50	3600	mg/kg
ORAL	RAT	LD50	5045	mg/kg

### POLYMERIC BIGUANIDE HYDROCHLORIDE

	RAT L	LD50	>2000	mg/kg
--	-------	------	-------	-------

Toxicity values: No data available.

#### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.
Ingestion: Not applicable.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.



SANISAFE 4 WIPE

Other information: Not applicable.

### Section 12: Ecological information

12.1. Toxicity

#### Hazardous ingredients:

#### **BENZYLKONIUM CHLORIDE**

FISH	96H LC50	1	mg/l

#### POLYMERIC BIGUANIDE HYDROCHLORIDE

DAPHNIA	48H EC50	0.09	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.026	mg/l

#### 12.2. Persistence and degradability

#### Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

### 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

Mobility: Insoluble in water.

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Other adverse effects: Negligible ecotoxicity.

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.
 Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
 NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.



SANISAFE 4 WIPE

Transport class: This product does not require a classification for transport.

## Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

Specific regulations: Not applicable.

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# **Section 16: Other information**

Other information

Other Information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	This safety data sheet is prepared in accordance with Commission Regulation (EC) No
	1272/2008.
Phrases used in s.2 and s.3:	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
	H225: Highly flammable liquid and vapour.
	H302: Harmful if swallowed.
	H302+312: Harmful if swallowed or in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H351: Suspected of causing cancer <state conclusively="" exposure="" if="" is="" it="" of="" proven<="" route="" th=""></state>
	that no other routes of exposure cause the hazard>.
	H372: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H400: Very toxic to aquatic life.
	H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.
	H410: Very toxic to aquatic life with long lasting effects.
	H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

Page: 8

SANISAFE 4 WIPE

**Page:** 9

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight bw = body weight cc =

closed cup oc = open cup

MUS = mouse

- GPG = guinea pig
- RBT = rabbit
- HAM = hamster
- HMN = human
- MAM = mammal
- PGN = pigeon
- IVN = intravenous
- SCU = subcutaneous
- SKN = skin
- DRM = dermal
- OCC = ocular/corneal
- PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

SANISAFE 4 WIPE

Page: 10 [final page]